


Powered by Trust™



MOTORS PRICE LIST

LOW VOLTAGE MOTORS
0.12kW to 1250kW



LP38 w.e.f. 20th November 2017

Testing Facility To Meet Global Standards

Bharat Bijlee has made a proactive initiative towards producing energy efficient motors with our technologically advanced in-house test facility for complete range of IE motors as per latest International Standards and in line with future revision.

Salient Features

- Direct Load Test up to 560 kW (380V to 6600V, 50/60 Hz)
- Mixed Frequency Testing Facility up to 1250 kW
- Test set up for efficiency determination as per IEC: 60034-2-1:2007 and IS:15999 (part 2/sec 1):2011
- Loading as per full load torque and stray load loss determination from residual loss method 2-1-1B (In line with future revision of IEC: 60034-2-1:201X)
- Five test stations for IE2/IE3 efficiency determination
- Efficiency calculation through special software in line with future revision of IEC: 60034-2-1:201X
- Combined testing of Motor + Drive for Safe and Hazardous Area Motors
- Data measurement up to 22kW through SCADA is established and higher ratings under upgradation



INDEX

Description	Page No.
IE2 Series Motors 71-355 Frame	1
IE3 Series Motors 71-355 Frame	3
IE2 Series Flame Proof Motors 80-315 Frame	5
Crane & Hoist Duty Squirrel Cage Motors 71-315 Frame	7
Crane Duty Slipring Motors 100-160 Frame	8
Textile Motors - Ring Frame 100-160 Frame	8

IE2 SERIES TEFC SCR MOTORS

Foot mounted (B3 construction) 3 Phase Squirrel Cage Induction Motors suitable for 415V $\pm 10\%$, 50Hz $\pm 5\%$, Combined Variation $\pm 10\%$, Insulation Class F, with temperature rise limited to Class B, Degree of Protection IP55, Duty S1, Ambient Temperature 50° C, Conforms to IS/IEC 60034-1.

3000 rpm 2 Pole				
KW	HP	Frame	Type	Price
0.37	0.50	71	2H0712A3	12900
0.55	0.75	71	2H071233	14300
0.75	1.00	80	2H080213	14770
1.10	1.50	80	2H080233	16190
1.50	2.00	90S	2H09S243	18690
2.20	3.00	90L	2H09L273	23940
3.70	5.00	100L	2H10L233	29630
5.50	7.50	132S	2H13S2G3	49190
7.50	10.00	132S	2H13S2N3	52830
9.30	12.50	160M	2H16M233	85880
11.00	15.00	160M	2H16M253	92160
15.00	20.00	160M	2H16M263	105840
18.50	25.00	160L	2H16L293	136790
22.00	30.00	180M	2H18M233	144130
30.00	40.00	200L	2H20L2A3	216730
37.00	50.00	200L	2H20L273	263070
45.00	60.00	225M	2H22M253	338520
55.00	75.00	250M	2H25M233	455340
75.00	100.00	280S	2H28S233	568350
90.00	120.00	280M	2H28M253	655300
110.00	150.00	315S	2H31S233	836070
125.00	170.00	315M	2H31M2A3	980610
132.00	180.00	315M	2H31M233	1027220
150.00	200.00	315L	2H31L2A3	1107490
160.00	215.00	315L	2H31L253	1127290
180.00	240.00	315L	2H31L2B3	1185630
200.00	270.00	355L	2H35L2A3	1317780
*250.00	335.00	355L	2H35L213	1467830
*315.00	425.00	355L	2H35L233	1598980

1500 rpm 4 Pole				
KW	HP	Frame	Type	Price
0.37	0.50	71	2H071433	11680
0.55	0.75	80	2H080433	14740
0.75	1.00	80	2H080453	15250
1.10	1.50	90S	2H09S423	18480
1.50	2.00	90L	2H09L473	22640
2.20	3.00	100L	2H10L473	26720
3.70	5.00	112M	2H11M473	33880
5.50	7.50	132S	2H13S4K3	47290
7.50	10.00	132M	2H13M4T3	55790
9.30	12.50	160M	2H16M4C3	81290
11.00	15.00	160M	2H16M4K3	89700
15.00	20.00	160L	2H16L4T3	109920
18.50	25.00	180M	2H18M473	141860
22.00	30.00	180L	2H18L483	156630
30.00	40.00	200L	2H20L453	212760
37.00	50.00	225S	2H22S433	273480
45.00	60.00	225M	2H22M453	303160
55.00	75.00	250M	2H25M433	416470
75.00	100.00	280S	2H28S423	508940
90.00	120.00	280M	2H28M453	590410
110.00	150.00	315S	2H31S413	720960
125.00	170.00	315M	2H31M4A3	826010
132.00	180.00	315M	2H31M433	849510
150.00	200.00	315L	2H31L4A3	967180
160.00	215.00	315L	2H31L453	991720
180.00	240.00	315L	2H31L463	1049240
200.00	270.00	315L	2H31L473	1197370
250.00	335.00	355L	2H35L413	1448610
315.00	425.00	355L	2H35L433	1693460
355.00	475.00	355L	2H35L453	2059750

Please Note: GST will be charged extra as applicable at time of delivery.

Frames 63-132 are with Aluminium body with T Box on top.

Frames 160 -225 are with Cast Iron body with T Box on RHS. (LHS T Box on request)

Frames 250 & above are with Cast Iron body with T Box on top.

Frames 90-225 can also be offered with Cast Iron body with T Box on top on request.

Frames 90 to 132 & 250 to 355 can also be offered with Cast Iron body with T Box RHS/LHS on request.

BBL IE2 motors are with inverter grade winding with 6 leads.

*These ratings are suitable for ambient 45° C.

IE2 SERIES TEFC SCR MOTORS

Foot mounted (B3 construction) 3 Phase Squirrel Cage Induction Motors suitable for 415V $\pm 10\%$, 50Hz $\pm 5\%$, Combined Variation $\pm 10\%$, Insulation Class F, with temperature rise limited to Class B, Degree of Protection IP55, Duty S1, Ambient Temperature 50° C, Conforms to IS/IEC 60034-1.

1000 rpm 6 Pole				
KW	HP	Frame	Type	Price
0.37	0.50	80	2H080613	15930
0.55	0.75	80	2H080633	16390
0.75	1.00	90S	2H09S633	18430
1.10	1.50	90L	2H09L653	20240
1.50	2.00	100L	2H10L633	28500
2.20	3.00	112M	2H11M653	31140
3.70	5.00	132S	2H13S6G3	48100
5.50	7.50	132M	2H13M6T3	58980
7.50	10.00	160M	2H16M633	87580
9.30	12.50	160L	2H16L663	100840
11.00	15.00	160L	2H16L673	109080
15.00	20.00	180L	2H18L633	142630
18.50	25.00	200L	2H20L633	200090
22.00	30.00	200L	2H20L653	215180
30.00	40.00	225M	2H22M643	310250
37.00	50.00	250M	2H25M633	417170
45.00	60.00	280S	2H28S613	502210
55.00	75.00	280M	2H28M633	572280
75.00	100.00	315S	2H31S613	684870
90.00	120.00	315M	2H31M633	861300
110.00	150.00	315M	2H31M653	956180
125.00	170.00	315L	2H31L6A3	1056570
132.00	180.00	315L	2H31L673	1125870
150.00	200.00	315L	2H31L6B3	1206720
160.00	215.00	315L	2H31L693	1155630
180.00	240.00	355L	2H35L6A3	1280610
200.00	270.00	355L	2H35L613	1368220
250.00	335.00	355L	2H35L633	1502770

Please Note: GST will be charged extra as applicable at time of delivery.

Frames 63-132 are with Aluminium body with T Box on top.

Frames 160 -225 are with Cast Iron body with T Box on RHS. (LHS T Box on request)

Frames 250 & above are with Cast Iron body with T Box on top.

Frames 90-225 can also be offered with Cast Iron body with T Box on top on request.

Frames 90 to 132 & 250 to 355 can also be offered with Cast Iron body with T Box RHS/LHS on request.

BBL IE2 motors are with inverter grade winding with 6 leads.

IE3 SERIES TEFC SCR MOTORS

Foot mounted (B3 construction) 3 Phase Squirrel Cage Induction Motors suitable for 415V $\pm 10\%$, 50Hz $\pm 5\%$, Combined Variation $\pm 10\%$, Insulation Class F with temperature rise limited to Class B, Degree of Protection IP55, Ambient Temperature 50° C, Duty S1, Conforms to IS/IEC 60034-1.

3000 rpm, 2Pole				
KW	HP	Frame	Type	Price
0.75	1.00	80	3H0802B3CT000	16710
1.10	1.50	80	3H0802E3CT000	21980
1.50	2.00	90S	3H09S2B3CT000	22220
2.20	3.00	90L	3H09L2E3CT000	27140
3.70	5.00	100L	3H10L2B3CT000	34440
5.50	7.50	132S	3H13S2C3CT000	54000
7.50	10.00	132S	3H13S2H3CT000	57700
9.30	12.50	160M	3H16M2B3CT000	125900
11.00	15.00	160M	3H16M2E3CT000	122210
15.00	20.00	160M	3H16M2H3CT000	129360
18.50	25.00	160L	3H16L2M3CT000	149710
22.00	30.00	180M	3H18M2B3CT000	170010
30.00	40.00	200L	3H20L2B3CT000	252890
37.00	50.00	200L	3H20L2E3CT000	308550
45.00	60.00	225M	3H22M2B3CT000	379420
55.00	75.00	250M	3H25M2E3CT000	479950
75.00	100.00	280S	3H28S2E3CT000	654500
90.00	120.00	280M	3H28M2H3CT000	704000
110.00	150.00	315S	3H31S2E3CT000	Refer Sales Office
132.00	180.00	315M	3H31M2H3CT000	Refer Sales Office
150.00	200.00	315L	3H31L2M3CT000	Refer Sales Office
160.00	215.00	315L	3H31L2M3CT000	Refer Sales Office
180.00	240.00	355L	3H35L2A3CT000	1460970
200.00	270.00	355L	3H35L2B3CT000	1485000
225.00	335.00	355L	3H35L2C3CT000	1638730
250.00	335.00	355L	3H35L2E3CT000	1672000
280.00	375.00	355L	3H35L2G3CT000	1848000

1500 rpm, 4Pole				
KW	HP	Frame	Type	Price
0.75	1.00	80	3H0804E3CT000	18100
1.10	1.50	90S	3H09S4B3CT000	21180
1.50	2.00	90L	3H09L4E3CT000	23300
2.20	3.00	100L	3H10L4B3CT000	30560
3.70	5.00	112M	3H11M4B3CT000	39030
5.50	7.50	132S	3H13S4C3CT000	54400
7.50	10.00	132M	3H13M4H3CT000	63940
9.30	12.50	160M	3H16M4E3CT000	129470
11.00	15.00	160M	3H16M4H3CT000	130680
15.00	20.00	160L	3H16L4M3CT000	136730
18.50	25.00	180M	3H18M4B3CT000	177870
22.00	30.00	180L	3H18L4E3CT000	179690
30.00	40.00	200L	3H20L4B3CT000	229900
37.00	50.00	225S	3H22S4B3CT000	317330
45.00	60.00	225M	3H22M4E3CT000	372080
55.00	75.00	250M	3H25M4B3CT000	470800
75.00	100.00	280S	3H28S4B3CT000	583000
90.00	120.00	280M	3H28M4H3CT000	681450
110.00	150.00	315S	3H31S4G3CT000	836000
132.00	180.00	315M	3H31M4K3CT000	1045000
160.00	215.00	315L	3H31L4P3CT000	1218200
200.00	270.00	315L	3H31L4W3CT000	1402500
225.00	300.00	355L	3H35L4B3CT000	1669800
250.00	335.00	355L	3H35L4E3CT000	1691090
315.00	422.00	355L	3H35L4H3CT000	1948380

Please Note: GST will be charged extra as applicable at time of delivery.

All motors are with Top T-Box and Cast Iron body.

All motors can be offered with Cast Iron body & T-Box on RHS on request except 80 & 90 frame.

Motors are with Inverter grade winding with 6 leads.

IE3 SERIES TEFC SCR MOTORS

Foot mounted (B3 construction) 3 Phase Squirrel Cage Induction Motors suitable for 415V $\pm 10\%$, 50Hz $\pm 5\%$, Combined Variation $\pm 10\%$, Insulation Class F with temperature rise limited to Class B, Degree of Protection IP55, Ambient Temperature 50° C, Duty S1, Conforms to IS/IEC 60034-1.

1000 rpm, 6Pole				
KW	HP	Frame	Type ref.	Price
0.37	0.50	80	3H0806B3CT000	18100
0.75	1.00	90S	3H09S6B3CT000	21370
1.10	1.50	90L	3H09L6E3CT000	28050
1.50	2.00	100L	3H10L6B3CT000	32580
2.20	3.00	112M	3H11M6B3CT000	37510
3.70	5.00	132S	3H13S6C3CT000	56310
5.50	7.50	132M	3H13M6H3CT000	66410
7.50	10.00	160M	3H16M6B3CT000	103090
9.30	12.50	160L	3H16L6E3CT000	117210
11.00	15.00	160L	3H16L6H3CT000	125350
15.00	20.00	180L	3H18L6B3CT000	163900
18.50	25.00	200L	3H20L6B3CT000	229600
22.00	30.00	200L	3H20L6E3CT000	232930
30.00	40.00	225M	3H22M6B3CT000	355460
37.00	50.00	250M	3H25M6B3CT000	473550
45	60.00	280S	3H28S6B3CT000	605000
55	75.00	280M	3H28M6E3CT000	661670
75	100.00	315S	3H31S6B3CT000	782710
90	120.00	315M	3H31M6E3CT000	1001000
110	150.00	315M	3H31M6H3CT000	1155000
132.00	180.00	315L	3H31L6M3CT000	1277170
160.00	215.00	355L	3H35L6B3CT000	1380500
180.00	240.00	355L	3H35L6C3CT000	1591870
200.00	270.00	355L	3H35L6E3CT000	1625860
250.00	335.00	355L	3H35L6H3CT000	1756150

Please Note: GST will be charged extra as applicable at time of delivery.

All motors are with Top T-Box and Cast Iron body.

All motors can be offered with Cast Iron body & T-Box on RHS on request except 80 & 90 frame.

Motors are with Inverter grade winding with 6 leads.

IE2 SERIES TEFC SCR FLAME PROOF MOTORS

Foot mounted (B3 construction) 3 Phase Squirrel Cage Induction Motor, 415V $\pm 10\%$, 50Hz $\pm 5\%$, Combined Insulation Class F, with temperature rise limited to Class B, Degree of Protection IP55, Duty S1, Ambient Temp 45°C, Variation $\pm 10\%$, Conforms to IS/IEC:60034-1, IS/IEC 60079-1:2007, IE2 Efficiency Class, Gas Group IIA, IIB.

3000 rpm 2 Pole				
KW	HP	Frame	Type	Price
0.37	0.50	80	2J0802A3	29840
0.55	0.75	80	2J0802B3	33350
0.75	1.00	80	2J080213	34370
1.10	1.50	80	2J080233	38500
1.50	2.00	90L	2J09L243	40230
2.20	3.00	100L	2J10L213	53810
3.70	5.00	112M	2J11M233	68270
5.50	7.50	132S	2J13S2G3	96950
7.50	10.00	132S	2J13S2N3	106960
9.30	12.50	160M	2J16M233	181750
11.00	15.00	160M	2J16M253	181020
15.00	20.00	160M	2J16M263	219360
18.50	25.00	160L	2J16L293	249550
22.00	30.00	180L	2J18L233	293290
30.00	40.00	200L	2J20L2A3	395930
37.00	50.00	200L	2J20L253	513720
45.00	60.00	225M	2J22M253	649200
55.00	75.00	280S	2J28S213	796930
75.00	100.00	280M	2J28M233	981560
90.00	120.00	280M	2J28M253	1056570
110.00	150.00	315S	2J31S233	1224140
125.00	170.00	315M	2J31M2A3	1436740
132.00	180.00	315M	2J31M233	1451430
150.00	200.00	315L	2J31L2A3	1594790
160.00	215.00	315L	2J31L253	1645550
180.00	240.00	315L	2J31L2B3	1972910

1500 rpm 4 Pole				
KW	HP	Frame	Type	Price
0.37	0.50	80	2J080413	29310
0.55	0.75	80	2J080433	32350
0.75	1.00	80	2J080453	33630
1.10	1.50	90L	2J09L423	38480
1.50	2.00	100L	2J10L453	49480
2.20	3.00	112M	2J11M433	56760
3.70	5.00	132S	2J13S4B3	78850
5.50	7.50	132S	2J13S4K3	92530
7.50	10.00	160M	2J16M4A3	123160
9.30	12.50	160M	2J16M4C3	155350
11.00	15.00	160M	2J16M4K3	164150
15.00	20.00	160L	2J16L4T3	199920
18.50	25.00	180L	2J18L473	224870
22.00	30.00	200L	2J20L433	279760
30.00	40.00	200L	2J20L453	360240
37.00	50.00	225M	2J22M433	469200
45.00	60.00	250M	2J25M413	590680
55.00	75.00	280S	2J28S413	725550
75.00	100.00	280S	2J28S423	890330
90.00	120.00	280M	2J28M453	907560
110.00	150.00	315S	2J31S413	1084820
125.00	170.00	315M	2J31M4A3	1248580
132.00	180.00	315M	2J31M433	1312730
150.00	200.00	315L	2J31L4A3	1351950
160.00	215.00	315L	2J31L453	1378410
180.00	240.00	315L	2J31L463	1650020
#200.00	270.00	315L	2J31L473	1968020

Please Note: GST will be charged extra as applicable at time of delivery.

All motors are with T Box on top.

Frames 112 & 132 can be offered with T Box on RHS on request.

Frames 160 to 280 can be offered with T Box on RHS/LHS on request.

These ratings are suitable for Ambient Temperature 40° C.

IE2 SERIES TEFC SCR FLAME PROOF MOTORS

Foot mounted (B3 construction) 3 Phase Squirrel Cage Induction Motor, 415V $\pm 10\%$, 50Hz $\pm 5\%$, Combined Variation Insulation Class F, with temperature rise limited to Class B, Degree of Protection IP55, Duty S1, Ambient Temperature 45deg.cel. Conforms to IS/IEC:60034-1, IS/IEC 60079-1:2007, IE2 Efficiency Class, Gas Group IIA, IIB.

1000 rpm 6 Pole				
KW	HP	Frame	Type	Price
0.37	0.50	80	2J080613	34080
0.55	0.75	80	2J080633	34960
0.75	1.00	90L	2J09L633	40750
1.10	1.50	90L	2J09L653	41940
1.50	2.00	100L	2J10L633	60740
2.20	3.00	112M	2J11M653	70590
3.70	5.00	132S	2J13S6G3	93520
5.50	7.50	132M	2J13M6T3	113350
7.50	10.00	160M	2J16M633	175380
9.30	12.50	160L	2J16L663	202690
11.00	15.00	160L	2J16L673	214810
15.00	20.00	180L	2J18L633	274790
18.50	25.00	200L	2J20L633	341750
22.00	30.00	200L	2J20L653	370710
30.00	40.00	225M	2J22M643	607730
37.00	50.00	250M	2J25M633	746400
45.00	60.00	280S	2J28S613	866870
55.00	75.00	280M	2J28M633	935010
75.00	100.00	315S	2J31S613	1096420
90.00	120.00	315M	2J31M633	1285710
110.00	150.00	315M	2J31M653	1409580
125.00	170.00	315L	2J31L6A3	1667930
132.00	180.00	315L	2J31L673	1708640
150.00	200.00	315L	2J31L6B3	1999410
160.00	215.00	315L	2J31L693	2152750

Please Note: GST will be charged extra as applicable at time of delivery.

All motors are with T Box on top.

Frames 112 & 132 can be offered with T Box on RHS on request.

Frames 160 to 280 can be offered with T Box on RHS/LHS on request.

CRANE & HOIST DUTY TEFC SCR MOTORS

Foot mounted (B3 construction) 3 Phase Squirrel Cage Induction Motors suitable to operate on DOL supply: 415V $\pm 10\%$, 50Hz $\pm 5\%$, Combined Variation $\pm 10\%$, Insulation Class F, Degree of Protection IP55, Ambient Temperature 45° C, 150 Starts/Stops per hour, Duty S4, CDF 40%, Conforms to IS/IEC 60034-1.

1500 rpm 4 Pole				
kW	Hp	Frame	Type	Price
0.55	0.75	71	MC071433	13570
0.75	1.00	80	MC080413	15090
1.10	1.50	80	MC080433	15190
1.50	2.00	90S	MC09S433	16800
2.20	3.00	90L	MC09L453	18300
3.70	5.00	100L	MC10L453	25130
5.50	7.50	112M	MC11M453	30820
7.50	10.00	132S	MC13S4G3	42480
9.30	12.50	132M	MC13M4P3	53190
11.00	15.00	160M	MC16M4A3	78110
15.00	20.00	160M	MC16M4F3	84000
18.50	25.00	160L	MC16L4P3	98980
22.00	30.00	180L	MC18L473	141160
30.00	40.00	200L	MC20L433	210340
37.00	50.00	225S	MC22S413	250200
45.00	60.00	225M	MC22M433	310310
55.00	75.00	250M	MC25M413	429990
75.00	100.00	280S	MC28S413	530000
90.00	120.00	280M	MC28M433	591280
110.00	150.00	315S	MC31S413	796670
132.00	160.00	315M	MC31M433	882210
160.00	215.00	315L	MC31L453	1056370
180.00	250.00	315L	MC31L463	1114030
200.00	270.00	315L	MC31L473	1247860

1000 rpm 6 Pole				
kW	Hp	Frame	Type	Price
0.37	0.50	71	MC071633	14850
0.55	0.75	80	MC080613	15990
0.75	1.00	80	MC080633	16160
1.10	1.50	90L	MC09L6A3	17230
1.50	2.00	90L	MC09L653	20010
2.20	3.00	100L	MC10L653	25930
3.70	5.00	112M	MC11M653	30920
5.50	7.50	132S	MC13S6G3	45480
7.50	10.00	132M	MC13M6T3	52800
9.30	12.50	160M	MC16M633	81860
11.00	15.00	160L	MC16L663	96410
13.00	17.50	160L	MC16L673	101700
17.00	23.00	180L	MC18L633	147130
22.00	30.00	200L	MC20L633	191000
30.00	40.00	225M	MC22M623	265900
37.00	50.00	250M	MC25M603	430180
45.00	60.00	280S	MC28S613	548120
52.00	70.00	280M	MC28M633	621810
70.00	95.00	315S	MC31S613	763820
85.00	115.00	315M	MC31M633	960950
102.00	135.00	315M	MC31M653	1070450
125.00	167.00	315L	MC31L673	1243620
150.00	200.00	315L	MC31L693	1294520

750 rpm 8 Pole				
kW	HP	Frame	Type	LP38
0.55	0.75	90S	MC09S813	19900
0.75	1.00	90L	MC09L853	19360
1.10	1.50	100L	MC10L813	23800
1.50	2.00	100L	MC10L833	28990
2.20	3.00	112M	MC11M833	44510
3.70	5.00	132S	MC13S8G3	70090
5.50	7.50	160M	MC16M833	84000
7.50	10.00	160L	MC16L873	111820
9.30	12.50	180M	MC18M813	140460
11.00	15.00	180L	MC18L833	157830
15.00	20.00	200L	MC20L833	222350
18.50	25.00	225S	MC22S813	269690
22.00	30.00	225M	MC22M833	325530
30.00	40.00	250M	MC25M813	437750
37.00	50.00	280S	MC28S823	559480
45.00	60.00	280M	MC28M853	649080
55.00	75.00	315S	MC31S813	776970
75.00	100.00	315M	MC31M833	977540
90.00	120.00	315M	MC31M853	1098290
110.00	150.00	315L	MC31L873	1159720
132.00	180.00	315L	MC31L893	1358220

Please Note: GST will be charged extra as applicable at time of delivery.

CRANE DUTY TEFC SLIPRING MOTORS

B3 construction, 3 Phase Slipring Induction Motor, 415V $\pm 10\%$, 50Hz $\pm 5\%$ Combined Variation $\pm 10\%$, Insulation Stator/Rotor Class F/F, Degree of Protection IP55, Ambient Temperature 45° C, Duty S4, CDF 40%, 60 Starts/ Stops per hour, Conforms to IS/IEC 60034-1

1000 rpm 6 Pole				
KW	HP	Frame	Type	Price
1.10	1.50	100L	MP10L613	69210
1.50	2.00	100L	MP10L623	73120
2.40	3.20	112M	MP11M623	78670
3.30	4.40	112M	MP11M643	95990
4.00	5.30	132M	MP13M613	103650
5.50	7.50	132M	MP13M663	112960
7.00	9.40	160L	MP16L613	135690
10.00	13.40	160L	MP16L653	172540

TEXTILE MOTORS - RING FRAME

B3 Construction , 3 Phase SquB3 Construction , 3 Phase Squirrel Cage Induction Motor,irrel Cage Induction Motor, 415V $\pm 10\%$, 50Hz $\pm 5\%$ Combined variation $\pm 10\%$, Insulation Class F, Degree of Protection IP55, Ambient Temp. 45°C Conforms to IS/IEC 60034-1.

1500 rpm 4 Pole				
KW	HP	Frame	Type	Price
2.20	3.00	100L	MR10L453	24760
3.70	5.00	112M	MR11M453	31680
5.50	7.50	132S	MR13S4G3	43670
7.50	10.00	132M	MR13M4P3	50950
9.30	12.50	160M	MR16M4A3	79500
11.00	15.00	160M	MR16M4C3	81540
13.00	17.50	160L	MR16L4K3	93610
15.00	20.00	160L	MR16L4F3	101330

Please Note: GST will be charged extra as applicable at time of delivery.

Note:

1. This LP replaces our LP37
2. Prices mentioned are maximum recommended selling prices and are subject to change without notice.
3. Prices are Ex-Works / Ex-Godown exclusive of GST extra as applicable at the time of delivery at actuals.
4. KW & HP are indicated, however kW is binding and HP is approximate.
5. Product upgradation is a continuous process, hence data in this price list is subject to change without prior notice.

OUR OFFICES

NORTHERN REGION

NEW DELHI

1st Floor, 7-B Rajindra Park, Pusa Road, New Delhi 110060
T: +91 11 2581 6931 / 6932 / 6933 F: +91 11 2581 6940
Email: bbl Delhi@bharatbijlee.com

LUDHIANA

SCO-146, 3rd Floor, Feroz Gandhi Market, Ludhiana 141 001
T: +91 161 2775 692 / 93
Email: bbl Ludhiana@bharatbijlee.com

JAIPUR

206 1st Floor, Shalimar Complex, Church Road, Jaipur 302001
India T: +91 141 2377 223
Email: bbl Jaipur@bharatbijlee.com

INDORE

M-78 Trade Centre, 18 South Tukoganj, Indore 452 001 India
T: +91 731 2524 474 / 2514 486
Email: bbl Indore@bharatbijlee.com

EASTERN REGION

KOLKATA

Siddha Fifth Avenue,
Space No 3B, 3rd Floor, 179 Anandapur, Kolkata 700 107
T: +91 033 2443-2368 / 2382/2383 Fax No: +91 2443 2467
Email: bbl Calcutta@bharatbijlee.com

WESTERN REGION

MUMBAI

501- 502, Swastik Chambers, 5th floor, Sion Trombay Road,
Chembur (East), Mumbai 400071 India
T: +91 22 6145 7200
Email: bbl Chembur@bharatbijlee.com

PUNE

Flat no 1, Sai Sankalp CHS, Opposite Jog Hospital, Paud Road,
Kothrud, Pune 411038 India
T: 020-65600478/77/76/80
Email: bbl Pune@bharatbijlee.com

NAGPUR

Email: bbl Nagpur@bharatbijlee.com

WESTERN REGION

AHMEDABAD

411, 4th Floor, Shapath V, Besides Shapath IV
Opp. Karnavati Club, S.G.Highway,
Ahmedabad – 380 015
T: +91 079 66049200
Email: bbl Ahmedabad@bharatbijlee.com

VADODARA

Email : bbl Vadodara@bharatbijlee.com

RAJKOT

Email : bbl Rajkot@bharatbijlee.com

SOUTHERN REGION

BANGALORE

204-207, Ramanashree Chambers, 2nd Floor,
37 Lady Curzon Road, Bangalore 560 001 India
T: +91 80 2559 2646 / 2137 / 2681 F: +91 80 2559 2823
Email: motorbangalore@bharatbijlee.com

CHENNAI

No 35, Rishikesh, No 75 (Old No.38) G N Chetty Road,
T Nagar, Chennai 600 017 India T: +91 44 2815 4794 / 4793
F: +91 44 2815 4794
Email: bbl Chennai@bharatbijlee.com

SECUNDERABAD

Flat no. 101, LBR House
Picket Main Road, Secunderabad 500026.
T: +91 40 2780 1791, 2781 4512
Email: bbl Secbad@bharatbijlee.com

COIMBATORE

112 A, Chenny's Chamber, 1st Floor, Dr. Nanjappa Road,
Coimbatore 641 018 India
T: + 91 422 326 8881
Email: bbl Coimbatore@bharatbijlee.com



REGISTERED OFFICE

Electric Mansion, 6th Floor, Appasaheb Marathe Marg,
Prabhadevi, Mumbai 400 025 India T: +91 22 2430 6237 / 6375
F: 91 22 2437 0624 CIN: L31300MH1946PL005017
E-mail: bbl corporate@bharatbijlee.com

MARKETING OFFICE

No. 2, MIDC Thane-Belapur Road, Airoli, Navi Mumbai 400 708
India T: +91 22 2763 7200 / +91 22 2760 0401
F: +91 22 2763 7423
E-mail: motorlvsales@bharatbijlee.com

www.bharatbijlee.com