

**RR KABEL LIMITED**
**RRKL/AL-ARM-UAR/LP/09/20**
**w.e.f. 1<sup>st</sup> SEPTEMBER, 2020**
**PRICE LIST**
**POWER CABLES (AL. ARMoured / UNARMoured)**

RR KABEL make Power Cables, Solid Aluminum conductor upto 10.0 sq.mm balance stranded conductor, XLPE Insulated, cores laid up, PVC tape inner sheathed for Multicore Cables, Unarmoured / Armour (1. Single core Cables - Aluminium wire upto 70.0 sq.mm balance Aluminum strip, 2. Galvanised wire for cables upto 2Cx10.0 sq.mm, 3Cx10.0 sq.mm, 4Cx6.0 sq.mm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/ 1100 V grade as per IS 7098 (Part 1) 1988. (HSN Code : 8544)

Size (in Sq.mm)	CORES / RATE PER METER (INR)									
	( UNARMoured CABLES ) (A2XY)					( ARMoured CABLES ) A2XWaY/ A2XFaY (A2XWY / A2XFY)				
	1C	2C	3C	3.5C	4C	1C	2C	3C	3.5C	4C
4.0	-	46	54	-	64	-	78	86	-	99
6.0	-	56	67	-	78	-	91	100	-	113
10.0	-	77	91	-	108	-	108	126	-	141
16.0	40	80	107	-	130	71	124	134	-	161
25.0	60	112	154	186	199	91	139	181	203	220
35.0	69	143	197	222	248	103	161	215	242	269
50.0	91	175	245	291	320	125	200	272	314	347
70.0	120	241	338	401	446	160	268	366	427	470
95.0	163	300	425	483	542	180	344	454	515	573
120.0	194	363	519	619	640	216	409	543	644	702
150.0	236	436	641	745	811	257	494	670	762	865
185.0	290	544	785	918	1007	314	616	819	951	1074
240.0	330	721	1004	1133	1312	385	801	1047	1197	1371
300.0	408	883	1205	1410	1594	469	976	1265	1467	1653
400.0	510	1128	1539	1793	2034	589	1229	1608	1868	2100
500.0	732	1371	2096	2424	2724	807	1626	2179	2539	2850
630.0	872	1746	2806	3281	3729	942	2046	2889	3450	3856
800.0	1223	-	-	-	-	1298	-	-	-	-
1000.0	1438	-	-	-	-	1497	-	-	-	-

**Additional to be charged for Special Construction**

A) Stranding (upto 10.0 Sq.mm)	10%	H) FR-LSH / LSZH Loading - (Inner / Outer Sheath) :							
B) Round Wire Armouring		Size	FR-LSH		LSZH				
			Inner Sheath	Outer Sheath	Inner Sheath	Outer Sheath			
			1. 1C x 95.0 & above	25%	Upto 1C x 16.0	NA	10%	NA	25%
			2. 2C x 16.0 & above	25%	1C x 25.0 to 1C x 50.0	NA	10%	NA	20%
			3. 3C x 16.0 & above	25%	1C x 70.0 & above	NA	7.5%	NA	17.5%
4. 3.5C x 25.0 & above	25%	Multicore upto 16.0	10%	7.5%	15%	20%			
5. 4C x 10.0 & above	25%								
C) Oxygen Index (FR)	2.5%	Multicore 25.0 to 50.0	7.5%	7.5%	12.5%	15%			
D) PVC Insulation (as per IS 1554)	8%	Multicore 70.0 & above	5%	5%	15%	12.5%			
E) HR PVC Insulation	10%	I) Extruded PVC Inner Sheath :		* MOQ will be applicable for all Special Items					
F) HR PVC Inner Sheath	5%	1. Upto 50.0 Sq.mm.	5%						
G) HR PVC Outer Sheath	5%	2. 70.0 Sq.mm. & above	2.5%						

**Terms & Conditions:**

> The above rates are exclusive of GST & any other statutory levies which shall be charged extra.

> Freight will be Extra as applicable

Note: This is revised Price List, hence our all previous Price Lists, Discount Policies are hereby ceased to exist.

**THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE**

**RR KABEL LIMITED**

RRKL/CU-ARM-UAR/LP/09/20

 w.e.f. 1<sup>st</sup> SEPTEMBER, 2020

**PRICE LIST**
**POWER CABLES (COPPER ARMoured / UNARMoured)**

RR KABEL make Power/Control Cables, Solid Copper Conductor upto 6.0 Sq.mm balance Stranded, XLPE Insulated, cores laid up, PVC tape inner sheathed for Multicore Cables, Unarmoured / Armour (1. Single core cables - Aluminium wire upto 70.0 sq.mm balance Aluminum strip, 2. Galvanised wire for cables upto 10Cx1.5 sq.mm, 8Cx2.5 sq.mm, 2Cx10.0 sq.mm, 3Cx10.0 Sq.mm, 4Cx6.0 Sq.mm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/ 1100 V grade as per IS 7098 (Part 1) 1988. (HSN CODE : 8544)

Rate Per Meter (INR)

( UNARMoured CABLES ) (2XY)						( ARMoured CABLES ) (2XWY / 2XFY)					
No. of Cores	1.5	2.5	No. of Cores	1.5	2.5	No. of Cores	1.5	2.5	No. of Cores	1.5	2.5
2	59	87	14	314	503	2	82	112	14	333	524
3	81	122	16	367	601	3	106	146	16	390	620
4	102	160	19	433	686	4	128	182	19	456	705
5	130	199	24	530	864	5	158	222	24	552	880
6	153	225	27	576	937	6	185	262	27	599	954
7	171	262	30	670	1041	7	202	288	30	686	1100
8	204	328	37	809	1283	8	230	356	37	837	1344
10	243	354	44	955	1539	10	266	386	44	1016	1661
12	281	440	61	1347	2100	12	300	457	61	1387	2263

Size (Sq.mm)	( UNARMoured CABLES ) (2XY)					( ARMoured CABLES ) (2XW <sub>a</sub> Y/2XF <sub>a</sub> Y) (2XWY / 2XFY)							
	1 Core	2 Core	3 Core	3.5 Core	4 Core	1 Core	2 Core	3 Core	3.5 Core	4 Core	5 Core	6 Core	7 Core
4.0	-	122	178	-	231	-	145	198	-	254	336	415	478
6.0	-	179	259	-	334	-	205	282	-	366	470	592	674
10.0	-	306	437	-	474	-	320	450	-	570	700	-	-
16.0	239	425	623	-	788	280	452	616	-	802	1100	-	-
25.0	380	639	957	1112	1217	428	673	994	1180	1287	1737	-	-
35.0	515	988	1344	1543	1794	574	1020	1392	1598	1850	2498	-	-
50.0	719	1350	1845	2191	2429	789	1377	1900	2288	2539	3428	-	-
70.0	1008	1810	2686	3176	3668	1097	1920	2735	3225	3760	-	-	-
95.0	1365	2444	3637	4263	4810	1415	2564	3722	4350	4918	-	-	-
120.0	1723	3078	4330	5457	5928	1773	3149	4558	5562	6070	-	-	-
150.0	2160	3849	5539	6802	7460	2213	3939	5707	7068	7610	-	-	-
185.0	2666	4732	6956	8133	9685	2725	4907	7158	8370	9781	-	-	-
240.0	3474	6127	9136	10607	12279	3513	6393	9316	10730	12400	-	-	-
300.0	4377	7645	11244	12959	15180	4445	8109	11650	13395	15645	-	-	-
400.0	5732	10164	14658	16923	19591	5939	10987	15475	17700	20447	-	-	-
500.0	7242	-	-	-	-	7291	-	-	-	-	-	-	-
630.0	9116	-	-	-	-	9165	-	-	-	-	-	-	-
800.0	11549	-	-	-	-	11602	-	-	-	-	-	-	-
1000.0	14437	-	-	-	-	14583	-	-	-	-	-	-	-

**Additional to be charged for Special Construction**

A) Tinning	5%	G) HR PVC Insulation	7%	As per the international practice which is also adopted by BIS, the size of the conductor is decided by its resistance only. The construction of the conductor mentioned in the Price List are only for guidelines and as per market convention, it may vary within the prescribed limit of IS:8130-1994, with related classes and tables.
B) Stranding (upto 6.0 Sq.mm)	4%	H) HR PVC Inner Sheath	5%	
C) Extruded Inner Sheath	2.5%	I) HR PVC Outer Sheath	5%	
D) Round Wire Armouring:		J) FR-LSH Outer Sheath (Power Cables)		
		Upto 6.0 Sq.mm		
1. 1C x 95.0 Sq.mm & above	7.5%	10.0 Sq.mm & above	4%	
K) FR-LSH / LSZH Loading - Control Cables (Inner / Outer Sheath)				* MOQ will be applicable for all Special Items
		FR-LSH		
		LSZH		
		Cores		* The above material will be supplied from our Waghodia Unit.
		Inner Sheath	Outer Sheath	
		2C to 4C	5% 6%	
		5C to 10C	5% 4%	
E) Oxygen Index (FR)	2.5%	12C & above	5% 4%	
F) PVC Insulation (as per IS 1554)	5%		12.5% 12.5%	

**Terms & Conditions:**

&gt; The above rates are exclusive of GST &amp; any other statutory levies which shall be charged extra.

&gt; Freight will be Extra as applicable

Note: This is revised Price List, hence our all previous Price Lists, Discount Policies are hereby ceased to exist.

**THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE**

RR KABEL LIMITED						
RRKL/HT-AL3C/LP/09/20			w.e.f. 1 <sup>st</sup> SEPTEMBER, 2020			
PRICE LIST						
HT 3 Core Power Cables						
RR KABEL make, Stranded Compact Circular Aluminium Conductor, Conductor Screen with Extruded Semi Conducting Compound, XLPE Insulated, Insulation Screening with Extruded Semi Conducting Compound in Combination with Copper Tape, Cores laid up, Inner Sheath of PVC tape, GI Flat Strip Armour, Overall PVC Sheathed HT Power Cables, Conforming to IS 7098 (Part II) 2011 with Latest Amendments.						
Size (in Sq.mm)	3.3 KV (UE) / 6.6 KV (E)	6.6 KV (UE) / 11 KV ( E )	11 KV (UE)	22 KV ( E )	33 KV ( E )	33 KV ( UE )
35.0	-	560	-	-	-	-
50.0	-	633	-	-	-	-
70.0	704	752	-	-	-	-
95.0	838	890	1151	1198	1597	-
120.0	979	1026	1338	1367	1822	-
150.0	1104	1147	1479	1508	1929	2291
185.0	1274	1335	1653	1690	2130	2537
240.0	1541	1601	1945	1981	2437	2877
300.0	1838	1862	2236	2272	2737	3208
400.0	2298	2341	2629	2676	3169	3690
Additional to be charged for Special Construction						
A) Extruded PVC Inner Sheath -			3%			
B) Pressure Extruded PVC Inner Sheath -			13%			
C) Round Wire Armouring - Upto 11 KV			25%			
D) Round Wire Armouring - Upto 11 KV ( UE ) & above -			27.5%			
E) FR-LSH PVC Inner Sheath -			5%			
F) FR-LSH PVC Outer Sheath -			5%			
G) Oxygen Index (FR Sheath) -			3%			
<b>Terms &amp; Conditions:</b>						
> The above rates are exclusive of GST & any other statutory levies, which shall be charged extra.						
> Freight will be Extra as applicable						
<b>Note: This is Revised Price List, hence our previous Price List, Discount Policy is hereby ceased to exist.</b>						
<b>THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE</b>						